



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date



DO's and DON'Ts for HOSE HANDLERS

DO's

- Stay clear of the discharge until the operator has told you it is safe to approach.
- Keep the end of a hanging discharge hose about two to three feet above the deck.
- Hold the hose at arm's length.
- Walk forward when moving the hose.
- Use a sturdy rope to move the hose on a deck, being sure the bottom side of the rope is not worn out.
- Use a single-ended hose on the discharge.
- Inspect hose regularly for wear and damage. Do not use hoses with wire or nylon braiding showing, or with soft spots.
- Keep your hands clear when lowering hose into a wall or column.
- Stay in visual contact with the pump operator or signal person.
- Agree in advance on communications to direct the movement of the boom, be it hand signals, radios, or other.

DON'Ts

- Never handle the hose without proper training or prior experience.
- Never kink the hose.
- Never carry the hose on your shoulder.
- Never hug the hose.
- Never hang from the hose.
- Never put yourself between the hose and a fixed object, such as a wall or column.
- Never walk backwards with the hose.
- Never use hooks or other devices that may cut or kink the hose.
- Never use hoses with damage to the outer covering.
- Never open any clamp until cleared by the operator.
- Never beat on a hose or pipe with a hammer.
- Never allow the tip hose on a boom pump to touch the deck.
- Never participate in the removal of a blockage unless you are directed to do so by the operator.
- Never approach the hose when first starting or after restarting until the operator has told you it is safe to approach.

By signing below, you agree to follow the guidelines above.

Signature

Printed Name

Company

Date